

Automatic Door •



Automatic
Door

Your choice
In mine

Product Gallery •

• 2013



• Welcome

To the world of inspiration and quality of Kalliotis company, we design and produce functional and elegant products that have as center of inspiration the person and our environment. With use of simple design method we give in our products the facility of everyday routine. With the use of high quality of materials we offer quality that a modern people wants. With the use of high technology in design and in productive we accomplish to configure quality, design and utilitarianism with low price.

We are a Greek family company that design and produces all the products in our factory in Thessalonikis, Greece. We activate in the sector of elevators since 1989, signing high quality elevators cabins and doors. With know-how, consequence, experience and anthropocentric character of our company, we established as one of the most rapidly developing and competitive companies in Northern Greece.

All these led us to present in the Greek and international market the new automatic elevators doors Auto.11.V1.LC. One product that designs and produces in our factory in Thessalonikis, Greece. That product's design and manufacture is supported by elegance, functionality and high standard quality of Kalliotis company but in the most competitive price of market. Certified with CE it covers all the requirements of 95/16/EK and EN81,1-2

Simple and modern design without the use of many and different mechanic and electronic elements, fast and easy installation and maintenance, high electronic and mechanic systems of movement and control, make the automatic door Auto.11.V1.LC one of the most reliable and competitive in the Greek and international market.

We can satisfy the most exigent customer offering the choice to select any automatic door type that serves better his needs and also to select from a big range of materials as stainless steel (inox), wood and powder coating colours of Kalliotis Modern Colours collection.

1989

Auto.11.V1.LC.

95/16/

EN81,1-2.

Auto.11VI.LC

Kalliotis Modern Colors.



+

2P automatic door center opening
Casing inox satine + Panels inox satine with glass

- Mechanical and electronics part design and manufactures from Kalliotis company.
- Have duty and reliable products
- CE Certificate covers EN81-1, 2
- Use intelligent encoder incorporated in DC motor so door control in anyone point of their distance(open)
- Intelligent, functional and reliable control card AUDO.100 control automatic door
- Ready to use automatic door without used extra portable programmer. Any change becomes straight in control card AUDO.100
- Fast, easy installation and maintainance
- Usefull and modern design with used less mechanic and electronic parts
- Incorporated emergency open above in control card AUDO.100
- Incorporated input for photocells or photocurtains above in control card Audo.100 without used extra circuit
- Used same electronic switch and bar magnet for floor and emergency open
- Used high technology electronic and mechanic systems of movement and control
- Buzzer if obstruction on
- Display to investigate false and problem
- Battery protection and rate charge
- Big range of materials like inox, wood and powder coating of Kalliotis Modern Colours collection



+

3P automatic door telescopic opening
Casing inox satine + Panels full glass






Продукція + Інформація



+ 1 Panel Telescopic

1P telescopic automatic door is ideal for well with problem with depth and no problem with width.

• Technical Drawing






Panel full glass




Panel closed




Panel with glass

Every + Think



() Opening door	() Min well width
600	1390
700	1590
800	1790
900	1990
1000	2190
1100	2390
1200	2590
1300	2790
1400	2990
<ul style="list-style-type: none"> • casing 120 mm • 120 mm + Distance is for 	
<ul style="list-style-type: none"> • details please contact us • + For more 	



Every + Where




+ 2 Panel Telescopic

2P telescopic automatic door is more usefull door. Ideal for well that do not exist problem of space.

• Technical Drawing




Every
+ Time



Panel full glass




Panel closed




Panel with glass

Every + Think



() Opening door	() Min well width
600	1100
700	1250
800	1400
900	1550
1000	1700
1100	1850
1200	2000
1300	2150
1400	2300
• 120 mm + Distance is for casing 120 mm • For more details please contact us	


Every + Where




+ 3 Panel Telescopic


3P telescopic automatic door is ideal for well with problem with width and no problem with depth.

• Technical Drawing




Every
+ Time






Panel full glass




Panel closed



Panel with glass

Every + Think



() Opening door	() Min well width
600	990
700	1125
800	1257
900	1390
1000	1525
1100	1657
1200	1790
1300	1925
1400	2057
<ul style="list-style-type: none"> • casing 120 mm • 120 mm + Distance is for • For more details please contact us 	


Every + Where




+ 4 Panel Telescopic

4P telescopic automatic door is ideal for well with problem with width and no problem with depth.

• Technical Drawing






Panel full glass




Panel closed



Panel with glass

Every + Think



() Opening door	() Min well width
600	940
700	1065
800	1190
900	1315
1000	1440
1100	1565
1200	1690
1300	1815
1400	1940
<ul style="list-style-type: none"> • casing 120 mm • 120 mm + Distance is for • For more details please contact us 	


Every + Where




+ 2 Panel Center

2P center automatic door is ideal for well with problem with depth and no problem with width.

• Technical Drawing




Every
+ Time



Panel full glass




Panel closed




Panel with glass

Every + Think



() Opening door	() Min well width
600	1340
700	1540
800	1740
900	1940
1000	2140
1100	2340
1200	2540
1300	2740
1400	2940
• more details please contact us + For	

Every + Where





+ 4 Panel Center

4

4P center automatic door is ideal for well with problem with depth and no problem with width.

• Technical Drawing






Panel full glass




Panel closed




Panel with glass

Every + Think



() Opening door	() Min well width
800	1360
1000	1660
1200	1960
1400	2260
1600	2560
1800	2860
2000	3160
2400	3460
2600	3760
2800	4060
• more details please contact us + For	


Every + Where




+ 6P Center

6P center automatic door is ideal for well with problem with depth and no problem with A


• Technical Drawing



Every
+ Time




Panel full glass




Panel with glass

Every + Think



() Opening door	() Min well width
1200	1740
1400	2007
1600	2274
1800	2540
2000	2807
2200	3074
2400	3340
2600	3607
2800	3874
3000	4140
• more details please contact us + For	


Every + Where



+ 8P Center


8P center automatic door is ideal for well with problem with depth and no problem with width.

• Technical Drawing




Every
+ Time






Panel full glass



Panel with glass

Every + Think




() Opening door	() Min well width
1200	1640
1400	1890
1600	2140
1800	2390
2000	2640
2200	2890
2400	3140
2600	3390
2800	3640
3000	3890
• more details please contact us + For	

Every + Where




+ 2P Circular

2P circular automatic door is heavy duty and impressive design product. Doors open and close movement in circular section.




Every
+ Time

+ Mortice



mortice () mortice automatic door is ideal for well with problem with width and depth. You can choose between center or telescopic mortice automatic door

Every + Think



() Opening door	() Min well width
600	1000
700	1100
800	1200
900	1300
1000	1400
1100	1500
1200	1600
1300	1700
1400	1800
• more details please contact us + For	

Every + Where





+

Kalliotis Modern Colors.


Our company has the possibility to satisfy the most exigent customer offering the choice to select from big range of materials as stainless steel (inox), wood, aluminium and powder coating colours of Kalliotis Modern Colours collection. All the colours stained in our high level powder coating machine. All powder coating colours are approved according to the standards of Qualicoat, Class 1 and GSB, Standard Class and Qualicoat, Class2


Qualicoat, Class 1 GSB, Standart Class, Qualicoat, Class2.

• Powder coating



• Sidefacing





+

+

+



+

+

+

17 ()
: 57001, : 60640
: +302310466454, : +302310466533
e-mail: kalliotislift@yahoo.com

: 6937394944

Factory - Head office

IN.AR Thermis
17 klm Thessalonikis - Poligirou (N. Redestos)
P.C 57001, PO Box 60640
: +302310466454 F: +302310466533
e-mail:kalliotislift@yahoo.com

Customers service in Athens

:+306937394944